




Drawing Nr.	Nr. of Pins	„K“ DIM IN. [MM]	Drawing Nr.	Nr. of Pins	„K“ DIM IN. [MM]
2110	10X2	0.900 [22.86]	2130	30X2	2.900 [73.66]
2111	11X2	1.000 [25.40]	2131	31X2	3.000 [76.20]
2112	12X2	1.100 [27.94]	2132	32X2	3.100 [78.74]
2113	13X2	1.200 [30.48]	2133	33X2	3.200 [81.28]
2114	14X2	1.300 [33.02]	2134	34X2	3.300 [83.82]
2115	15X2	1.400 [35.56]	2135	35X2	3.400 [86.36]
2116	16X2	1.500 [38.10]	2136	36X2	3.500 [88.90]
2117	17X2	1.600 [40.64]			
2118	18X2	1.700 [43.18]			
2119	19X2	1.800 [45.72]			
2120	20X2	1.900 [48.26]			
2121	21X2	2.000 [50.80]			
2122	22X2	2.100 [53.34]			
2123	23X2	2.200 [55.88]			
2124	24X2	2.300 [58.42]			
2125	25X2	2.400 [60.96]			
2126	26X2	2.500 [63.50]			
2127	27X2	2.600 [66.04]			
2128	28X2	2.700 [68.58]			
2129	29X2	2.800 [71.12]			



www.interplexnas.de | www.interplex.com/NAS

SELECT SPECIFIC OPTIONS TO DETERMINE ORDERING CODE:

TYPE	PITCH (P)	DRWG. NO.	SOLDER LOCATION	GAP (G)	SOLDER TYPE	SOLDER STOP	STAND OFF (SO)	MATERIAL/ PLATING	STANDARD ORIENTATION
E = DRI	A = .100[2.54]	21XX	D = Double	44 = .044[1.12] 56 = .056[1.42]	See Chart on Page 9	O = No Stop S = Stop	O = None	C = Phosphor Bronze Pre-plated 60/40 Tin Lead Finish E = Phosphor Bronze Pre-Plated 100% Sn Plastic = Liquid Crystal Vectra A-130	N/A

CODE:

--	--	--	--	--	--	--	--	--	--